

School Age Children (SAC) 2013-2014 Influenza Programs

School Name	Date	Time	
Mokapu El	15-Oct	830-1200	
Iroquois El	16-Oct	800-1100	
Navy Hale Keiki	16-Oct	830-1000	
Kailua Inter	29-Oct	800-1100	
Wheeler El	6-Nov	830-1100	
Hickam El	8-Nov	830-1200	
Mokulele El	14-Nov	815-1045	
Solomon El	19-Nov	800-1130	
Moanalua Middle	19-Nov	845-1245	
Barbers Point El	20-Nov	800-1100	
Pearl Harbor Kai	22-Nov	800-1100	
Shafter El	22-Nov	800-1100	



Beneficiaries Schedule

EXCHANGES					
DATES	TIME	LOCATION			
Oct 4	9:00AM- 2:00PM	Pearl Harbor NEX			
Oct 5	9:00AM- 2:00PM	Pearl Harbor NEX			
Oct 12	9:00AM- 2:00PM	Schofield PX			
Oct 19	9:00AM- 2:00PM	Hickam BX			
Oct 19	9:00AM- 2:00PM	K' Bay MCX			
Oct 24	9:00AM- 2:00PM	Fort Shafter PX			

Beneficiary Locations

Kaneohe Bay

M,T,W & F 0730-1130; 1300-1500 TH: 0730-1130;1300-1400

Makalapa Clinic

M-F: 0730-1630

Closed 1st THURS of every month 1145-1400

Shipyard Clinic (Bldg 1750)

M-F: 0700-1530

TAMC Immunization Clinic

T: 1300-1500, W & F: 0900-1130

Schofield Barracks


M-TH: 0730-1130, F: 0900-1130 M, W, F: 1300-1500, T &TH: 1300-1400

Hickam MDG

Mon-Tues: 0730-1145 & 1300-1600 Thurs-Fri:0730-1145 & 1300-1600 Wednesday: 0730-1145 & 1300-1400 Closed the 3rd THURS of every month 2013 - 2014

Hawaii Joint Vaccination Team

Influenza Vaccination Information



Oahu Joint Services

Phone: 433-1FLU

Who should get the Flu Vaccine?



- All people 6 months of age and older should get flu vaccine.
- Vaccination is especially important for people at higher risk of severe influenza and their close contacts, including healthcare personnel and close contacts of children younger than 6 months.

Where to get the Flu Vaccine?

- Beneficiaries can go to any clinic location starting October 1st to be vaccinated.
- Beneficiaries may also go to any Tricare retail network pharmacy to be vaccinated at no cost (www.expressscripts.com/tricare/pharmacy).

There are two types of Flu vaccine offered by Tricare:

- Live, attenuated influenza (LIAV)
- Inactivated influenza (IIV)

Healthy, non-pregnant persons aged 2 to 49 years can receive either vaccine for the 2013-2014 season. Persons with high-risk conditions or 50 years of age or older should receive the IIV.



There are some people who should not get the vaccine.

- Anyone who has ever had a serious allergic reaction to eggs, another vaccine component, or to a previous dose of influenza vaccine.
- People who are moderately or severely ill should usually wait until they recover before getting the flu vaccine. People with a mild illness can usually get the vaccine.

Adapted from CDC material Please visit <u>www.CDC.gov</u> for more information on Influenza virus and vaccines.



Preventing the Flu:

- 1. GET VACCINATED! Vaccination is the primary way to prevent the flu.
- 2. Avoid close contact with people who are sick. When you are sick keep your distance from others.
- 3. Stay home when you are sick if possible, this will aid in reducing transmission of your illness.
- 4. Cover your mouth and nose with a tissue when coughing or sneezing.
- 5. Wash your hands often with soap and water. If soap and water are not available, use an alcohol-based hand rub.
- 6. Germs are often spread when a person touches contaminated things and then touches his or her eyes, nose, or mouth.
- 7. Other good habits are to get plenty of sleep, engage in physical activity, drink plenty of water and eat a balanced meal to help you stay healthy.
- 8. If you contract the flu, there are medications that are available to help. Your provider will be happy to discuss this with you if necessary.